



NTN N311 cylindrical roller bearings

Bearing No. N311

Size	55x104.5x29 mm
Bore Diameter	55 mm
Outer Diameter	104,5 mm
Width	29 mm
d	55 mm
D	120 mm
Ew	104,5 mm
B	29 mm
C	29 mm
r min.	2 mm
r1 min.	2 mm
J	77,2 mm
Weight	1,42 Kg
Basic dynamic load rating (C)	111 kN
Basic static load rating (C0)	111 kN
(Grease) Lubrication Speed	5 900 r/min
E	104.5 mm
F	70.5 mm
d1	77.2 mm
rs min	2 mm
r1s min	2 mm
Radial clearance class	CN
Mass (without HJ ring)	1.41 kg
Dynamic load, C	111 kN
Static load, C0	111 kN
Fatigue limit load, Cu	13.5 kN

N311 Bearing 2D drawings and 3D CAD models



EAO Bearing Machine Development Co., Ltd

Nlim (oil)	7,000 rpm
Nlim (grease)	5,900 rpm
Min operating temperature, Tmin	-40 ° C
Max operating temperature, Tmax	120 ° C
da min	64 mm
Da max	111 mm
Db min	106 mm
Dc max	103 mm
ra max	2 mm
r1a max	2 mm
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	1.42
EAN	4547359151527
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	2 Rib Inner Ring Plain



EAO Bearing Machine Development Co., Ltd

	Outer Ring Cage On Inner Ring OD
Long Description	55MM Bore; Straight Bore Profile; 120MM Outside Diameter; 29MM Width; Steel Cage Material; RBEC 1 ISO P0; Single Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Inte
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	N311
Weight / LBS	3.123
Bore	2.165 Inch 55 Millimeter
Outside Diameter	4.724 Inch 120 Millimeter
Width	1.142 Inch 29 Millimeter
bore diameter:	55 mm
static load capacity:	111000 N
outside diameter:	120 mm
precision rating:	ISO Class 0
overall width:	29 mm
maximum rpm:	7000 rpm
flanges:	(2) Inner Ring
bearing material:	Hardened Alloy Steel
bore type:	Straight
cage material:	Pressed Steel
number of rows:	1
finish/coating:	Uncoated
internal clearance:	CN



EAO Bearing Machine Development Co., Ltd

closure type:	Open
ring separation:	Separable Outer Ring
fillet radius:	2 mm
operating temperature range:	-40 to 120 ° C
manufacturer product page:	Click here
dynamic load capacity:	111000 N